



BIODEGRADATION OF ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDES (ADBAC)

Applicable to these current Stepan products:

BTC® 50	BTC® 65	BTC® 776
BTC® 824	BTC® 8248	BTC® 8249
BTC® 835	BTC® 8358	STEPANQUAT® 50 NF
STEPANQUAT® 65 NF	STEPANQUAT® 8358	BTC® 8358 F

Applicable to these inactive Stepan products:

BTC® 2565	BTC® 2568	BTC® 824 P100
STEPANQUAT® 835		

Biodegradation Information:

Alkyl Dimethyl Benzyl Ammonium Chlorides (ADBAC) applications are wide ranging, from disinfectant formulations to microbial corrosion inhibition, to wood preservation.

Number of biodegradation studies conducted for the ADBAC quats show these products to undergo extensive primary and ultimate (CO₂ production) biodegradation. DOC Die-away studies have been found to reach 85% biodegradation within 5 days⁽¹⁾. Ultimate biodegradation of benzylalkonium chlorides have been shown to reach up to 85% in 28 days⁽²⁾. Removal of ADBAC compounds during a SCAS removability test show removal rates of 100%⁽³⁾.

The ready biodegradation study (OECD test method 301B) conducted on a Stepan ADBAC product show these compounds to be readily biodegradable (95.5% in 28 days)⁽⁴⁾.

References:

(1-3) EPA Registrartion Eligibility Decisons for ADBAC quats.

(4) Stepan Study 05-018A

BTC® ; STEPANQUAT® are registered trademarks of Stepan Company.

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.